

## WEST Search History for Application 10597129

Creation Date: 2008041408:21

Query	DB	Op.	Plur.	Thes.	Date
((magnetic adj resonan\$2) or MRI or NMR)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) ) and ((parallel or PPA) with (imag\$4 or "PI"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) ) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan") ) and ("in-plane" with (phase adj encod\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan") and ("in-plane" with (phase adj encod\$4)) ) and (((gradient or spin) with (echo\$4)) or "GE" or "gre" or "SE")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan") and ("in-plane" with (phase adj encod\$4)) and	PGPB, USPT, USOC, EPAB, JPAB,	ADJ			04-14-2008

(((gradient or spin) with (echo\$4)) or "GE" or "gre" or "SE" ) and (((parallel or PPA) with (imag\$4 or "PI") with (scan or sequence or trial or run)) same ((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty) with (scan or sequence or trial or run)) same (phas\$4 with encod\$4))	DWPI, TDBD				
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan" ) and ((align\$4 or synchroniz\$3 or match\$3) same ("in-plane" or axis or direction\$4) same (phase adj encod\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan" ) and ((align\$4 or synchroniz\$3 or match\$3) same ("in-plane" or axis or direction\$4) same (phase adj encod\$4)) ) and (sense or sensitivity)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan" ) and ((align\$4 or synchroniz\$3 or match\$3) same ("in-plane" or axis or direction\$4) same (phase adj encod\$4)) and (sense or sensitivity) ) and (((gradient or spin or field) with (echo\$4)) or "GE" or "gre" or "SE" or "fse")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan" ) and ((align\$4 or synchroniz\$3 or match\$3) same ("in-plane" or axis or direction\$4) same (phase adj encod\$4)) and (sense or sensitivity) and (((gradient or spin or field) with (echo\$4)) or "GE" or "gre" or "SE" or "fse" ) and ((time or duration) with (imaging or sequence or run or trial or scan\$4))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and ((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan" ) and ((align\$4 or synchroniz\$3 or match\$3) same ("in-plane" or axis or direction\$4) same (phase adj encod\$4)) and (sense or sensitivity) and (((gradient or spin or field) with (echo\$4)) or "GE" or "gre" or "SE" or "fse")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008

and ((time or duration) with (imaging or sequence or run or trial or scan\$4)) ) and (signal\$3 or noise or noisy or SNR or ratio)					
(((magnetic adj resonan\$2) or MRI or NMR) and (((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan") and ((align\$4 or synchroniz\$3 or match\$3) same ("in-plane" or axis or direction\$4) same (phase adj encod\$4)) and (sense or sensitivity) and (((gradient or spin or field) with (echo\$4)) or "GE" or "gre" or "SE" or "fse") and ((time or duration) with (imaging or sequence or run or trial or scan\$4)) and (signal\$3 or noise or noisy or SNR or ratio) ) and ((amount or value or level or total or quantity) same (noise or SNR))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ			04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and (((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan") ) and ((match\$3 or align\$4 or synchroniz\$4) same ("in-plane" or direction\$4 or (along with( axis or axial\$2)) with (phase adj encod\$4)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and (((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan") and ((match\$3 or align\$4 or synchroniz\$4) same ("in-plane" or direction\$4 or (along with( axis or axial\$2)) with (phase adj encod\$4))) ) and (((parallel or PPA) with imag\$4) or "PI") with (scan or sequence or trial or run)) same ((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty) with (scan or sequence or trial or run)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and (((parallel or PPA) with (imag\$4 or "PI")) and (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard) with (scan or sequence or trial or run)) or "pre-scan") and ((match\$3 or align\$4 or synchroniz\$4) same ("in-plane" or direction\$4 or (along with( axis or axial\$2)) with (phase adj encod\$4))) and (((parallel or PPA) with imag\$4) or "PI") with (scan or sequence or trial or run)) same ((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty) with (scan or sequence or trial or run))) ) and (((gradient or spin or field) with (echo\$4)) or "GE" or "gre" or "SE" or "fse")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
fetznr	PGPB, USPT,	ADJ	YES		04-14-2008

	USOC, EPAB, JPAB, DWPI, TDBD				
(fetzner ) and (((((parallel or PPA) with imag\$4) or "PI") with (scan or sequence or trial or run)) same ((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty) with (scan or sequence or trial or run)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(fetzner and (((((parallel or PPA) with imag\$4) or "PI") with (scan or sequence or trial or run)) same ((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty) with (scan or sequence or trial or run))) ) and (((gradient or spin or field) with (echo\$4)) or "GE" or "gre" or "SE" or "fse")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(fetzner ) and (zhang.in. or zhou.in. or zou.in.)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) ) and (((match\$3 or align\$4 or synchroniz\$4) same ("in-plane" or direction\$4 or (along with( axis or axial\$2)) with (phase adj encod\$4))) same (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard or navigat\$4) with (scan or sequence or trial or run)) or "pre-scan"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(((magnetic adj resonan\$2) or MRI or NMR) and (((match\$3 or align\$4 or synchroniz\$4) same ("in-plane" or direction\$4 or (along with( axis or axial\$2)) with (phase adj encod\$4))) same (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard or navigat\$4) with (scan or sequence or trial or run)) or "pre-scan")) ) and (((gradient or spin or field) with (echo\$4)) or "GE" or "gre" or "SE" or "fse") same (((match\$3 or align\$4 or synchroniz\$4) same ("in-plane" or direction\$4 or (along with( axis or axial\$2)) with (phase adj encod\$4))) same (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard or navigat\$4) with (scan or sequence or trial or run)) or "pre-scan"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008

(((magnetic adj resonan\$2) or MRI or NMR) and (((match\$3 or align\$4 or synchroniz\$4) same ("in-plane" or direction\$4 or (along with( axis or axial\$2)) with (phase adj encod\$4))) same (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard or navigat\$4) with (scan or sequence or trial or run)) or "pre-scan")) and (((gradient or spin or field) with (echo\$4) or "GE" or "gre" or "SE" or "fsc") same (((match\$3 or align\$4 or synchroniz\$4) same ("in-plane" or direction\$4 or (along with( axis or axial\$2)) with (phase adj encod\$4))) same (((calibrat\$4 or referenc\$3 or preliminary or initial\$2 or preparatoty or standard or navigat\$4) with (scan or sequence or trial or run)) or "pre-scan")))) ) and (sens\$4 or sensitivity or sensitive)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(fetzner ) and (("in plane" or "through plane") same (phas\$3) same (encod\$3))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(fetzner ) and ("in-plane" or "through-plane")	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008
(fetzner and ("in-plane" or "through-plane") ) and ((parallel or PPA) with (imag\$4 or "PI"))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	ADJ	YES		04-14-2008